












PART NUMBER	DESCRIPTION	MAX EXTENSION	MAX COMPRESSION	TOTAL STROKE	DESIGN HEIGHT	THREADED ADJUSTMENT	MAX DIA	MAX LOAD @ 100PSI	AIR PORT (NPT)
78589	KIT, UNI SHK, 2B5 SHORT, EYE-EYE	317-354mm [12.54-13.94in]	254-291mm [10-11.46in]	63mm [2.48in]	66.5mm [2.62in]	37mm [1.46in]	139.7mm [5.5in]	775kg [1709lbs]	1/8
78590	KIT, UNI SHK, 2B5 MED, EYE-EYE	362-421mm [14.25-16.57in]	279-338mm [10.98-13.31in]	83mm [3.27in]	76.5mm [3.01in]	59mm [2.32in]	139.7mm [5.5in]	596kg [1315lbs]	1/8
78591	KIT, UNI SHK, 2B5 LONG, EYE-EYE	407-486mm [16.02-19.13in]	304-383mm [11.97-15.08in]	103mm [4.06in]	86.5mm [3.46in]	79mm [3.11in]	139.7mm [5.5in]	536kg [1181lbs]	1/8
78689	KIT, UNI SHK, 2B5 SHORT, EYE-STUD	325-362mm [12.80-14.25in]	262-299mm [10.31-11.77in]	63mm [2.48in]	66.5mm [2.62in]	37mm [1.46in]	139.7mm [5.5in]	775kg [1709lbs]	1/8
78690	KIT, UNI SHK, 2B5 MED, EYE-STUD	370-429mm [14.57-16.89in]	287-346mm [11.30-13.62in]	83mm [3.27in]	76.5mm [3.01in]	59mm [2.32in]	139.7mm [5.5in]	596kg [1315lbs]	1/8
78691	KIT, UNI SHK, 2B5 LONG, EYE-STUD	415-494mm [16.34-19.45in]	312-391mm [12.28-15.39in]	103mm [4.06in]	86.5mm [3.46in]	79mm [3.11in]	139.7mm [5.5in]	536kg [1181lbs]	1/8
78789	KIT, UNI SHK, 2B5 SHORT, TRUNNION-STUD	330-367mm [12.99-14.45in]	267-304mm [10.51-11.97in]	63mm [2.48in]	66.5mm [2.62in]	37mm [1.46in]	139.7mm [5.5in]	775kg [1709lbs]	1/8
78790	KIT, UNI SHK, 2B5 MED, TRUNNION-STUD	375-434mm [14.76-17.09in]	292-351mm [11.50-13.82in]	83mm [3.27in]	76.5mm [3.01in]	59mm [2.32in]	139.7mm [5.5in]	596kg [1315lbs]	1/8
78791	KIT, UNI SHK, 2B5 LONG, TRUNNION-STUD	420-499mm [16.54-19.65in]	317-396mm [12.48-15.59in]	103mm [4.06in]	86.5mm [3.46in]	79mm [3.11in]	139.7mm [5.5in]	536kg [1181lbs]	1/8
78889	KIT, UNI SHK, 2B5 SHORT, TRUNNION-EYE	322-359mm [12.68-14.13in]	259-296mm [10.20-11.65in]	63mm [2.48in]	66.5mm [2.62in]	37mm [1.46in]	139.7mm [5.5in]	775kg [1709lbs]	1/8
78890	KIT, UNI SHK, 2B5 MED, TRUINNION-EYE	367-426mm [14.45-16.77in]	284-343mm [11.18-13.50in]	83mm [3.27in]	76.5mm [3.01in]	59mm [2.32in]	139.7mm [5.5in]	596kg [1315lbs]	1/8
78891	KIT, UNI SHK, 2B5 LONG, TRUNNION-EYE	412-491mm [16.22-19.33in]	309-388mm [12.17-15.28in]	103mm [4.06in]	86.5mm [3.46in]	79mm [3.11in]	139.7mm [5.5in]	536kg [1181lbs]	1/8

NOTE:

1) DIMENSION STYLE: METRIC [STANDARD]



PART NUMBER	DESCRIPTION	MAX EXTENSION	MAX COMPRESSION	TOTAL STROKE	DESIGN HEIGHT	THREADED ADJUSTMENT	MAX DIA	MAX LOAD @ 100PSI	FITTING SIZE (NPT)
78592	KIT, UNI SHK, 2B6 SHORT, EYE-EYE	321-357mm 12.64-14.06in	262-298mm 10.31-11.73in	59mm 2.32in	97.6mm 3.84in	36mm 1.42in	165.1mm 6.5in	914kg [2016lbs]	1/4
78593	KIT, UNI SHK, 2B6 MED, EYE-EYE	366-424mm 14.41-16.69in	287-345mm 11.30-13.58in	79mm 3.11in	107.6mm 4.23in	58mm 2.28in	165.1mm 6.5in	876kg [1931lbs]	1/4
78594	KIT, UNI SHK, 2B6 LONG, EYE-EYE	411-489mm 16.18-19.25in	312-390mm 12.28-15.35in	99mm 3.90in	117.6mm 4.63in	78mm 3.07in	165.1mm 6.5in	831kg [1833lbs]	1/4
78692	KIT, UNI SHK, 2B6 SHORT, EYE-STUD	329-365mm 12.95-14.37in	270-306mm 10.63-12.05in	59mm 2.32in	97.6mm 3.84in	36mm 1.42in	165.1mm 6.5in	914kg [2016lbs]	1/4
78693	KIT, UNI SHK, 2B6 MED, EYE-STUD	374-432mm 14.72-17.01in	295-353mm 11.61-13.90in	79mm 3.11in	107.6mm 4.23in	58mm 2.28in	165.1mm 6.5in	876kg [1931lbs]	1/4
78694	KIT, UNI SHK, 2B6 LONG, EYE-STUD	419-497mm 16.50-19.57in	320-398mm 12.60-15.67in	99mm 3.90in	117.6mm 4.63in	78mm 3.07in	165.1mm 6.5in	831kg [1833lbs]	1/4
78792	KIT, UNI SHK, 2B6 SHORT, TRUNNION-STUD	334-370mm 13.15-14.57in	275-311mm 10.83-12.24in	59mm 2.32in	97.6mm 3.84in	36mm 1.42in	165.1mm 6.5in	914kg [2016lbs]	1/4
78793	KIT, UNI SHK, 2B6 MED, TRUNNION-STUD	374-437mm 14.72-17.20in	295-353mm 11.61-13.90in	79mm 3.11in	107.6mm 4.23in	58mm 2.28in	165.1mm 6.5in	876kg [1931lbs]	1/4
78794	KIT, UNI SHK, 2B6 LONG, TRUNNION-STUD	424-502mm 16.69-19.76in	325-403mm 12.80-15.87in	99mm 3.90in	117.6mm 4.63in	78mm 3.07in	165.1mm 6.5in	831kg [1833lbs]	1/4
78892	KIT, UNI SHK, 2B6 SHORT, TRUNNION-EYE	326-362mm 12.83-14.25in	267-303mm 10.51-11.93in	59mm 2.32in	97.6mm 3.84in	36mm 1.42in	165.1mm 6.5in	914kg [2016lbs]	1/4
78893	KIT, UNI SHK, 2B6 MED, TRUNNION-EYE	371-429mm 14.61-16.89in	292-350mm 11.50-13.78in	79mm 3.11in	107.6mm 4.23in	58mm 2.28in	165.1mm 6.5in	876kg [1931lbs]	1/4
78894	KIT, UNI SHK, 2B6 LONG, TRUNNION-EYE	416-494mm 16.38-19.45in	317-395mm 12.48-15.55in	99mm 3.90in	117.6mm 4.63in	78mm 3.07in	165.1mm 6.5in	831kg [1833lbs]	1/4



PART NUMBER	DESCRIPTION	MAX EXTENSION	MAX COMPRESSION	TOTAL STROKE	DESIGN HEIGHT	THREADED ADJUSTMENT	MAX DIA	MAX LOAD @ 100PSI	FITTING SIZE (NPT)
78595	KIT, UNI SHK, SLEEVE SHORT, EYE-EYE	321-357mm 12.64-14.06in	262-298mm 10.31-11.73in	59mm 2.32in	131mm 5.16in	36mm 1.42in	129.5mm 5.1in	554kg [1222lbs]	1/4
78596	KIT, UNI SHK, SLEEVE MED, EYE-EYE	366-424mm 14.41-16.69in	287-345mm 11.30-13.58in	79mm 3.11in	141mm 5.55in	58mm 2.28in	129.5mm 5.1in	540kg [1192lbs]	1/4
78597	KIT, UNI SHK, SLEEVE LONG, EYE-EYE	411-489mm 16.18-19.25in	312-390mm 12.28-15.35in	99mm 3.90in	151mm 5.95in	78mm 3.07in	129.5mm 5.1in	545kg [1203lbs]	1/4
78695	KIT, UNI SHK, SLEEVE SHORT, EYE-STUD	329-365mm 12.95-14.37in	270-306mm 10.63-12.05in	59mm 2.32in	131mm 5.16in	36mm 1.42in	129.5mm 5.1in	554kg [1222lbs]	1/4
78696	KIT, UNI SHK, SLEEVE MED, EYE-STUD	374-432mm 14.72-17.01in	295-353mm 11.61-13.90in	79mm 3.11in	141mm 5.55in	58mm 2.28in	129.5mm 5.1in	540kg [1192lbs]	1/4
78697	KIT, UNI SHK, SLEEVE LONG, EYE-STUD	419-497mm 16.50-19.57in	320-398mm 12.60-15.67in	99mm 3.90in	151mm 5.95in	78mm 3.07in	129.5mm 5.1in	545kg [1203lbs]	1/4
78795	KIT, UNI SHK, SLEEVE SHORT, TRUNNION-STUD	334-370mm 13.15-14.57in	275-311mm 10.83-12.24in	59mm 2.32in	131mm 5.16in	36mm 1.42in	129.5mm 5.1in	554kg [1222lbs]	1/4
78796	KIT, UNI SHK, SLEEVE MED, TRUNNION-STUD	374-437mm 14.72-17.20in	295-353mm 11.61-13.90in	79mm 3.11in	141mm 5.55in	58mm 2.28in	129.5mm 5.1in	540kg [1192lbs]	1/4
78797	KIT, UNI SHK, SLEEVE LONG, TRUNNION-STUD	424-502mm 16.69-19.76in	325-403mm 12.80-15.87in	99mm 3.90in	151mm 5.95in	78mm 3.07in	129.5mm 5.1in	545kg [1203lbs]	1/4
78895	KIT, UNI SHK, SLEEVE SHORT, TRUNNION-EYE	326-362mm 12.83-14.25in	267-303mm 10.51-11.93in	59mm 2.32in	131mm 5.16in	36mm 1.42in	129.5mm 5.1in	554kg [1222lbs]	1/4
78896	KIT, UNI SHK, SLEEVE MED, TRUNNION-EYE	371-429mm 14.61-16.89in	292-350mm 11.50-13.78in	79mm 3.11in	141mm 5.55in	58mm 2.28in	129.5mm 5.1in	540kg [1192lbs]	1/4
78897	KIT, UNI SHK, SLEEVE LONG, TRUNNION-EYE	416-494mm 16.38-19.45in	317-395mm 12.48-15.55in	99mm 3.90in	151mm 5.95in	78mm 3.07in	129.5mm 5.1in	545kg [1203lbs]	1/4

